

ENERGY STAR Ratings - 2750 Terra

Hung

GLAZING	GRILLES	ENERGY STAR ZONE	AIR RATING	ENERGY RATING	U-VALUE (Metric)	U-VALUE (Imperial)	SHGC	VT	9.36 CODE ZONES
HS1									
	None	1 2 3	0.385	34	1.65	0.29	0.54	0.62	4 5 6 7A 7B 8
	Under 1" SDL	1 2	0.385	31	1.65	0.29	0.48	0.55	4 5 6 7A 7B 8
	1" SDL And Over	1	0.385	28	1.65	0.29	0.43	0.49	4 5 6 7A
	Under 1" Grille	1 2	0.385	31	1.65	0.29	0.48	0.55	4 5 6 7A 7B 8
	1" Grille And Over	1	0.385	28	1.65	0.29	0.43	0.49	4 5 6 7A
HS1V									
	None	1 2 3	0.385	36	1.42	0.25	0.49	0.6	4 5 6 7A 7B 8
	Under 1" SDL	1 2 3	0.385	34	1.42	0.25	0.44	0.54	4 5 6 7A 7B 8
	1" SDL And Over	1 2	0.385	31	1.42	0.25	0.39	0.47	4 5 6 7A 7B 8
	Under 1" Grille	1 2 3	0.385	34	1.42	0.25	0.44	0.54	4 5 6 7A 7B 8
	1" Grille And Over	1 2	0.385	31	1.42	0.25	0.39	0.47	4 5 6 7A 7B 8
HS4									
	None	1	0.385	21	1.59	0.28	0.29	0.54	4 5 6 7A
	Under 1" SDL	1	0.385	19	1.59	0.28	0.26	0.49	4 5 6 7A
	1" SDL And Over	1	0.385	18	1.59	0.28	0.23	0.43	4 5 6 7A
	Under 1" Grille	1	0.385	19	1.59	0.28	0.26	0.49	4 5 6 7A
	1" Grille And Over	1	0.385	18	1.59	0.28	0.23	0.43	4 5 6 7A
HS4V									
	None	1 2	0.385	26	1.36	0.24	0.28	0.53	4 5 6 7A 7B 8
	Under 1" SDL	1 2	0.385	24	1.36	0.24	0.26	0.47	4 5 6 7A 7B 8
	1" SDL And Over	1 2	0.385	23	1.36	0.24	0.23	0.42	4 5 6 7A 7B 8
	Under 1" Grille	1 2	0.385	24	1.36	0.24	0.26	0.47	4 5 6 7A 7B 8
	1" Grille And Over	1 2	0.385	23	1.36	0.24	0.23	0.42	4 5 6 7A 7B 8
HS2									
	None	1 2 3	0.385	38	1.31	0.23	0.48	0.56	4 5 6 7A 7B 8
	Under 1" SDL	1 2 3	0.385	35	1.31	0.23	0.43	0.5	4 5 6 7A 7B 8
	1" SDL And Over	1 2	0.385	33	1.31	0.23	0.39	0.44	4 5 6 7A 7B 8
	Under 1" Grille	1 2 3	0.385	35	1.31	0.23	0.43	0.5	4 5 6 7A 7B 8
	1" Grille And Over	1 2	0.385	33	1.31	0.23	0.39	0.44	4 5 6 7A 7B 8


Legend:

Standards: U-Values = NFRC 100-1;

SHGC (Solar Heat Gain Coefficient) / VT (Visible Transmittance) = NFRC 200-1

ENERGY STAR Ratings - 2750 Terra

Hung - Continued

GLAZING	GRILLES	ENERGY STAR ZONE	AIR RATING	ENERGY RATING	U-VALUE (Metric)	U-VALUE (Imperial)	SHGC	VT	9.36 CODE ZONES
HS3									
	None	1 2 3	0.385	41	1.08	0.19	0.44	0.54	4 5 6 7A 7B 8
	Under 1" SDL	1 2 3	0.385	38	1.08	0.19	0.39	0.48	4 5 6 7A 7B 8
	1" SDL And Over	1 2 3	0.385	36	1.08	0.19	0.35	0.43	4 5 6 7A 7B 8
	Under 1" Grille	1 2 3	0.385	38	1.08	0.19	0.39	0.48	4 5 6 7A 7B 8
	1" Grille And Over	1 2 3	0.385	36	1.08	0.19	0.35	0.43	4 5 6 7A 7B 8
HS5									
	None	1 2	0.385	26	1.31	0.23	0.27	0.5	4 5 6 7A 7B 8
	Under 1" SDL	1 2	0.385	24	1.31	0.23	0.24	0.44	4 5 6 7A 7B 8
	1" SDL And Over	1 2	0.385	23	1.31	0.23	0.22	0.39	4 5 6 7A 7B 8
	Under 1" Grille	1 2	0.385	24	1.31	0.23	0.24	0.44	4 5 6 7A 7B 8
	1" Grille And Over	1 2	0.385	23	1.31	0.23	0.22	0.39	4 5 6 7A 7B 8
HS6									
	None	1 2 3	0.385	31	1.02	0.18	0.25	0.42	4 5 6 7A 7B 8
	Under 1" SDL	1 2 3	0.385	30	1.02	0.18	0.22	0.38	4 5 6 7A 7B 8
	1" SDL And Over	1 2 3	0.385	28	1.02	0.18	0.2	0.33	4 5 6 7A 7B 8
	Under 1" Grille	1 2 3	0.385	30	1.02	0.18	0.22	0.38	4 5 6 7A 7B 8
	1" Grille And Over	1 2 3	0.385	28	1.02	0.18	0.2	0.33	4 5 6 7A 7B 8
Triple									
	None	1 2	0.385	31	1.82	0.32	0.55	0.59	4 5 6 7A 7B 8
	Under 1" SDL	1	0.385	28	1.82	0.32	0.49	0.52	4 5 6 7A
	1" SDL And Over	1	0.385	25	1.82	0.32	0.44	0.46	4 5 6 7A
	Under 1" Grille	1	0.385	28	1.82	0.32	0.49	0.52	4 5 6 7A
	1" Grille And Over	1	0.385	25	1.82	0.32	0.44	0.46	4 5 6 7A


Legend:

Standards: U-Values = NFRC 100-1;
SHGC (Solar Heat Gain Coefficient) / VT (Visible Transmittance) = NFRC 200-1

ENERGY STAR Ratings - 2750 Terra

Picture

GLAZING	GRILLES	ENERGY STAR ZONE	AIR RATING	ENERGY RATING	U-VALUE (Metric)	U-VALUE (Imperial)	SHGC	VT	9.36 CODE ZONES
HS1									
	None	1 2 3	0.04	41	1.53	0.27	0.6	0.69	4 5 6 7A 7B 8
	Under 1" SDL	1 2 3	0.04	38	1.53	0.27	0.54	0.62	4 5 6 7A 7B 8
	1" SDL And Over	1 2 3	0.04	35	1.53	0.27	0.49	0.56	4 5 6 7A 7B 8
	Under 1" Grille	1 2 3	0.04	38	1.53	0.27	0.54	0.62	4 5 6 7A 7B 8
	1" Grille And Over	1 2 3	0.04	35	1.53	0.27	0.49	0.56	4 5 6 7A 7B 8
HS1V									
	None	1 2 3	0.04	44	1.25	0.22	0.55	0.68	4 5 6 7A 7B 8
	Under 1" SDL	1 2 3	0.04	41	1.25	0.22	0.49	0.61	4 5 6 7A 7B 8
	1" SDL And Over	1 2 3	0.04	38	1.25	0.22	0.44	0.54	4 5 6 7A 7B 8
	Under 1" Grille	1 2 3	0.04	41	1.25	0.22	0.49	0.61	4 5 6 7A 7B 8
	1" Grille And Over	1 2 3	0.04	38	1.25	0.22	0.44	0.54	4 5 6 7A 7B 8
HS4									
	None	1	0.04	26	1.48	0.26	0.32	0.61	4 5 6 7A
	Under 1" SDL	1	0.04	24	1.48	0.26	0.29	0.55	4 5 6 7A
	1" SDL And Over	1	0.04	23	1.48	0.26	0.27	0.49	4 5 6 7A
	Under 1" Grille	1	0.04	24	1.48	0.26	0.29	0.55	4 5 6 7A
	1" Grille And Over	1	0.04	23	1.48	0.26	0.27	0.49	4 5 6 7A
HS4V									
	None	1 2 3	0.04	32	1.19	0.21	0.32	0.6	4 5 6 7A 7B 8
	Under 1" SDL	1 2 3	0.04	31	1.19	0.21	0.29	0.54	4 5 6 7A 7B 8
	1" SDL And Over	1 2 3	0.04	29	1.19	0.21	0.26	0.48	4 5 6 7A 7B 8
	Under 1" Grille	1 2 3	0.04	31	1.19	0.21	0.29	0.54	4 5 6 7A 7B 8
	1" Grille And Over	1 2 3	0.04	29	1.19	0.21	0.26	0.48	4 5 6 7A 7B 8
HS2									
	None	1 2 3	0.04	46	1.14	0.2	0.54	0.64	4 5 6 7A 7B 8
	Under 1" SDL	1 2 3	0.04	43	1.14	0.2	0.49	0.57	4 5 6 7A 7B 8
	1" SDL And Over	1 2 3	0.04	40	1.14	0.2	0.44	0.51	4 5 6 7A 7B 8
	Under 1" Grille	1 2 3	0.04	43	1.14	0.2	0.49	0.57	4 5 6 7A 7B 8
	1" Grille And Over	1 2 3	0.04	40	1.14	0.2	0.44	0.51	4 5 6 7A 7B 8



Legend:

Standards: U-Values = NFRC 100-1;

SHGC (Solar Heat Gain Coefficient) / VT (Visible Transmittance) = NFRC 200-1

ENERGY STAR Ratings - 2750 Terra

Picture - Continued

GLAZING	GRILLES	ENERGY STAR ZONE	AIR RATING	ENERGY RATING	U-VALUE (Metric)	U-VALUE (Imperial)	SHGC	VT	9.36 CODE ZONES
HS3									
	None	1 2 3	0.04	48	0.91	0.16	0.49	0.61	4 5 6 7A 7B 8
	Under 1" SDL	1 2 3	0.04	46	0.91	0.16	0.45	0.55	4 5 6 7A 7B 8
	1" SDL And Over	1 2 3	0.04	43	0.91	0.16	0.4	0.49	4 5 6 7A 7B 8
	Under 1" Grille	1 2 3	0.04	46	0.91	0.16	0.45	0.55	4 5 6 7A 7B 8
	1" Grille And Over	1 2 3	0.04	43	0.91	0.16	0.4	0.49	4 5 6 7A 7B 8
HS5									
	None	1 2 3	0.04	32	1.14	0.2	0.3	0.56	4 5 6 7A 7B 8
	Under 1" SDL	1 2 3	0.04	31	1.14	0.2	0.27	0.5	4 5 6 7A 7B 8
	1" SDL And Over	1 2 3	0.04	29	1.14	0.2	0.25	0.45	4 5 6 7A 7B 8
	Under 1" Grille	1 2 3	0.04	31	1.14	0.2	0.27	0.5	4 5 6 7A 7B 8
	1" Grille And Over	1 2 3	0.04	29	1.14	0.2	0.25	0.45	4 5 6 7A 7B 8
HS6									
	None	1 2 3	0.04	37	0.85	0.15	0.27	0.48	4 5 6 7A 7B 8
	Under 1" SDL	1 2 3	0.04	36	0.85	0.15	0.25	0.43	4 5 6 7A 7B 8
	1" SDL And Over	1 2 3	0.04	35	0.85	0.15	0.23	0.38	4 5 6 7A 7B 8
	Under 1" Grille	1 2 3	0.04	36	0.85	0.15	0.25	0.43	4 5 6 7A 7B 8
	1" Grille And Over	1 2 3	0.04	35	0.85	0.15	0.23	0.38	4 5 6 7A 7B 8
Triple									
	None	1 2 3	0.04	37	1.76	0.31	0.62	0.66	4 5 6 7A 7B 8
	Under 1" SDL	1 2 3	0.04	34	1.76	0.31	0.56	0.59	4 5 6 7A 7B 8
	1" SDL And Over	1 2	0.04	30	1.76	0.31	0.5	0.53	4 5 6 7A 7B 8
	Under 1" Grille	1 2 3	0.04	34	1.76	0.31	0.56	0.59	4 5 6 7A 7B 8
	1" Grille And Over	1 2	0.04	30	1.76	0.31	0.5	0.53	4 5 6 7A 7B 8

Legend:

Standards: U-Values = NFRC 100-1;

SHGC (Solar Heat Gain Coefficient) / VT (Visible Transmittance) = NFRC 200-1



ENERGY STAR Ratings - 2750 Terra

Slider

GLAZING	GRILLES	ENERGY STAR ZONE	AIR RATING	ENERGY RATING	U-VALUE (Metric)	U-VALUE (Imperial)	SHGC	VT	9.36 CODE ZONES
HS1									
	None	1 2 3	0.27	34	1.65	0.29	0.54	0.62	4 5 6 7A 7B 8
	Under 1" SDL	1 2	0.27	31	1.65	0.29	0.48	0.55	4 5 6 7A 7B 8
	1" SDL And Over	1	0.27	28	1.65	0.29	0.43	0.49	4 5 6 7A
	Under 1" Grille	1 2	0.27	31	1.65	0.29	0.48	0.55	4 5 6 7A 7B 8
	1" Grille And Over	1	0.27	28	1.65	0.29	0.43	0.49	4 5 6 7A
HS1V									
	None	1 2 3	0.27	37	1.42	0.25	0.49	0.6	4 5 6 7A 7B 8
	Under 1" SDL	1 2 3	0.27	34	1.42	0.25	0.44	0.54	4 5 6 7A 7B 8
	1" SDL And Over	1 2	0.27	31	1.42	0.25	0.39	0.47	4 5 6 7A 7B 8
	Under 1" Grille	1 2 3	0.27	34	1.42	0.25	0.44	0.54	4 5 6 7A 7B 8
	1" Grille And Over	1 2	0.27	31	1.42	0.25	0.39	0.47	4 5 6 7A 7B 8
HS4									
	None	1	0.27	21	1.59	0.28	0.29	0.54	4 5 6 7A
	Under 1" SDL	1	0.27	20	1.59	0.28	0.26	0.49	4 5 6 7A
	1" SDL And Over	1	0.27	18	1.59	0.28	0.23	0.43	4 5 6 7A
	Under 1" Grille	1	0.27	20	1.59	0.28	0.26	0.49	4 5 6 7A
	1" Grille And Over	1	0.27	18	1.59	0.28	0.23	0.43	4 5 6 7A
HS4V									
	None	1 2	0.27	26	1.36	0.24	0.28	0.53	4 5 6 7A 7B 8
	Under 1" SDL	1 2	0.27	25	1.36	0.24	0.26	0.47	4 5 6 7A 7B 8
	1" SDL And Over	1 2	0.27	23	1.36	0.24	0.23	0.42	4 5 6 7A 7B 8
	Under 1" Grille	1 2	0.27	25	1.36	0.24	0.26	0.47	4 5 6 7A 7B 8
	1" Grille And Over	1 2	0.27	23	1.36	0.24	0.23	0.42	4 5 6 7A 7B 8
HS2									
	None	1 2 3	0.27	38	1.31	0.23	0.48	0.56	4 5 6 7A 7B 8
	Under 1" SDL	1 2 3	0.27	36	1.31	0.23	0.43	0.5	4 5 6 7A 7B 8
	1" SDL And Over	1 2	0.27	33	1.31	0.23	0.39	0.44	4 5 6 7A 7B 8
	Under 1" Grille	1 2 3	0.27	36	1.31	0.23	0.43	0.5	4 5 6 7A 7B 8
	1" Grille And Over	1 2	0.27	33	1.31	0.23	0.39	0.44	4 5 6 7A 7B 8

Legend:

Standards: U-Values = NFRC 100-1;

SHGC (Solar Heat Gain Coefficient) / VT (Visible Transmittance) = NFRC 200-1



ENERGY STAR Ratings - 2750 Terra

Slider - Continued

GLAZING	GRILLES	ENERGY STAR ZONE	AIR RATING	ENERGY RATING	U-VALUE (Metric)	U-VALUE (Imperial)	SHGC	VT	9.36 CODE ZONES
HS3									
	None	1 2 3	0.27	41	1.08	0.19	0.44	0.54	4 5 6 7A 7B 8
	Under 1" SDL	1 2 3	0.27	38	1.08	0.19	0.39	0.48	4 5 6 7A 7B 8
	1" SDL And Over	1 2 3	0.27	36	1.08	0.19	0.35	0.43	4 5 6 7A 7B 8
	Under 1" Grille	1 2 3	0.27	38	1.08	0.19	0.39	0.48	4 5 6 7A 7B 8
	1" Grille And Over	1 2 3	0.27	36	1.08	0.19	0.35	0.43	4 5 6 7A 7B 8
HS5									
	None	1 2	0.27	26	1.31	0.23	0.27	0.5	4 5 6 7A 7B 8
	Under 1" SDL	1 2	0.27	25	1.31	0.23	0.24	0.44	4 5 6 7A 7B 8
	1" SDL And Over	1 2	0.27	23	1.31	0.23	0.22	0.39	4 5 6 7A 7B 8
	Under 1" Grille	1 2	0.27	25	1.31	0.23	0.24	0.44	4 5 6 7A 7B 8
	1" Grille And Over	1 2	0.27	23	1.31	0.23	0.22	0.39	4 5 6 7A 7B 8
HS6									
	None	1 2 3	0.27	31	1.02	0.18	0.24	0.42	4 5 6 7A 7B 8
	Under 1" SDL	1 2 3	0.27	30	1.02	0.18	0.22	0.38	4 5 6 7A 7B 8
	1" SDL And Over	1 2 3	0.27	29	1.02	0.18	0.2	0.33	4 5 6 7A 7B 8
	Under 1" Grille	1 2 3	0.27	30	1.02	0.18	0.22	0.38	4 5 6 7A 7B 8
	1" Grille And Over	1 2 3	0.27	29	1.02	0.18	0.2	0.33	4 5 6 7A 7B 8
Triple									
	None	1 2	0.27	31	1.82	0.32	0.55	0.59	4 5 6 7A 7B 8
	Under 1" SDL	1	0.27	28	1.82	0.32	0.49	0.52	4 5 6 7A
	1" SDL And Over	1	0.27	25	1.82	0.32	0.44	0.46	4 5 6 7A
	Under 1" Grille	1	0.27	28	1.82	0.32	0.49	0.52	4 5 6 7A
	1" Grille And Over	1	0.27	25	1.82	0.32	0.44	0.46	4 5 6 7A


Legend:

Standards: U-Values = NFRC 100-1;

SHGC (Solar Heat Gain Coefficient) / VT (Visible Transmittance) = NFRC 200-1