

# 9700 Summit – Thermal Ratings & Compliance

## Hung

GLAZING	GRILLES	2020 ENERGY STAR COMPLIANCE	AIR LEAKAGE (Metric)	U-VALUE (Metric)	U-VALUE (Imperial)	SHGC	ENERGY RATING	VT	9.36 CODE ZONES (AB, SK, MB)	9.36 CODE ZONES (BC)
HS1										
	None	YES	0.40	1.65	0.29	0.54	34	0.62	4, 5, 6, 7A, 7B, 8	4, 5
	Under 1" SDL	NO	0.40	1.65	0.29	0.48	31	0.55	4, 5, 6, 7A, 7B, 8	4, 5
	1" SDL And Over	NO	0.40	1.65	0.29	0.43	28	0.49	4, 5, 6, 7A	4, 5
	Under 1" Grille	NO	0.40	1.65	0.29	0.48	31	0.55	4, 5, 6, 7A, 7B, 8	4, 5
	1" Grille And Over	NO	0.40	1.65	0.29	0.43	28	0.49	4, 5, 6, 7A	4, 5
HS1V										
	None	YES	0.40	1.36	0.24	0.49	38	0.60	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	Under 1" SDL	YES	0.40	1.36	0.24	0.44	35	0.54	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	1" SDL And Over	NO	0.40	1.36	0.24	0.39	32	0.47	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	Under 1" Grille	YES	0.40	1.36	0.24	0.44	35	0.54	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	1" Grille And Over	NO	0.40	1.36	0.24	0.39	32	0.47	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
HS4										
	None	NO	0.40	1.59	0.28	0.29	21	0.54	4, 5, 6, 7A	4, 5, 6, 7A
	Under 1" SDL	NO	0.40	1.59	0.28	0.26	19	0.49	4, 5, 6, 7A	4, 5, 6, 7A
	1" SDL And Over	NO	0.40	1.59	0.28	0.23	18	0.43	4, 5, 6, 7A	4, 5, 6, 7A
	Under 1" Grille	NO	0.40	1.59	0.28	0.26	19	0.49	4, 5, 6, 7A	4, 5, 6, 7A
	1" Grille And Over	NO	0.40	1.59	0.28	0.23	18	0.43	4, 5, 6, 7A	4, 5, 6, 7A
HS4V										
	None	NO	0.40	1.36	0.24	0.28	26	0.53	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	Under 1" SDL	NO	0.40	1.36	0.24	0.26	24	0.47	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	1" SDL And Over	NO	0.40	1.36	0.24	0.23	23	0.42	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	Under 1" Grille	NO	0.40	1.36	0.24	0.26	24	0.47	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	1" Grille And Over	NO	0.40	1.36	0.24	0.23	23	0.42	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
HS2										
	None	YES	0.40	1.31	0.23	0.48	38	0.56	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	Under 1" SDL	YES	0.40	1.31	0.23	0.43	35	0.50	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	1" SDL And Over	NO	0.40	1.31	0.23	0.39	33	0.44	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	Under 1" Grille	YES	0.40	1.31	0.23	0.43	35	0.50	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	1" Grille And Over	NO	0.40	1.31	0.23	0.39	33	0.44	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8


**Legend:**

ANSI/NFRC 100 for determining U-factor

ANSI/NFRC 200 for determining SHGC and VT

# 9700 Summit – Thermal Ratings & Compliance

## Hung - Continued

GLAZING	GRILLES	2020 ENERGY STAR COMPLIANCE	AIR LEAKAGE (Metric)	U-VALUE (Metric)	U-VALUE (Imperial)	SHGC	ENERGY RATING	VT	9.36 CODE ZONES (AB, SK, MB)	9.36 CODE ZONES (BC)
HS3										
	None	YES	0.40	1.08	0.19	0.44	41	0.54	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	Under 1" SDL	YES	0.40	1.08	0.19	0.39	38	0.48	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	1" SDL And Over	YES	0.40	1.08	0.19	0.35	36	0.43	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	Under 1" Grille	YES	0.40	1.08	0.19	0.39	38	0.48	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	1" Grille And Over	YES	0.40	1.08	0.19	0.35	36	0.43	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
HS5										
	None	NO	0.40	1.31	0.23	0.27	26	0.50	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	Under 1" SDL	NO	0.40	1.31	0.23	0.24	24	0.44	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	1" SDL And Over	NO	0.40	1.31	0.23	0.22	23	0.39	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	Under 1" Grille	NO	0.40	1.31	0.23	0.24	24	0.44	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	1" Grille And Over	NO	0.40	1.31	0.23	0.22	23	0.39	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
HS6										
	None	YES	0.40	1.02	0.18	0.25	31	0.42	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	Under 1" SDL	YES	0.40	1.02	0.18	0.22	30	0.38	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	1" SDL And Over	YES	0.40	1.02	0.18	0.20	28	0.33	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	Under 1" Grille	YES	0.40	1.02	0.18	0.22	30	0.38	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	1" Grille And Over	YES	0.40	1.02	0.18	0.20	28	0.33	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
Triple										
	None	NO	0.40	1.82	0.32	0.55	31	0.59	4, 5, 6, 7A, 7B, 8	-
	Under 1" SDL	NO	0.40	1.82	0.32	0.49	28	0.52	4, 5, 6, 7A	-
	1" SDL And Over	NO	0.40	1.82	0.32	0.44	25	0.46	4, 5, 6, 7A	-
	Under 1" Grille	NO	0.40	1.82	0.32	0.49	28	0.52	4, 5, 6, 7A	-
	1" Grille And Over	NO	0.40	1.82	0.32	0.44	25	0.46	4, 5, 6, 7A	-


**Legend:**

ANSI/NFRC 100 for determining U-factor

ANSI/NFRC 200 for determining SHGC and VT

# 9700 Summit – Thermal Ratings & Compliance

## Picture

GLAZING	GRILLES	2020 ENERGY STAR COMPLIANCE	AIR LEAKAGE (Metric)	U-VALUE (Metric)	U-VALUE (Imperial)	SHGC	ENERGY RATING	VT	9.36 CODE ZONES (AB, SK, MB)	9.36 CODE ZONES (BC)
<b>HS1</b>										
	None	YES	0.04	1.53	0.27	0.60	41	0.69	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A
	Under 1" SDL	YES	0.04	1.53	0.27	0.54	38	0.62	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A
	1" SDL And Over	YES	0.04	1.53	0.27	0.49	35	0.56	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A
	Under 1" Grille	YES	0.04	1.53	0.27	0.54	38	0.62	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A
	1" Grille And Over	YES	0.04	1.53	0.27	0.49	35	0.56	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A
<b>HS1V</b>										
	None	YES	0.04	1.25	0.22	0.55	44	0.68	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	Under 1" SDL	YES	0.04	1.25	0.22	0.49	41	0.61	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	1" SDL And Over	YES	0.04	1.25	0.22	0.44	38	0.54	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	Under 1" Grille	YES	0.04	1.25	0.22	0.49	41	0.61	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	1" Grille And Over	YES	0.04	1.25	0.22	0.44	38	0.54	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
<b>HS4</b>										
	None	NO	0.04	1.48	0.26	0.32	26	0.61	4, 5, 6, 7A	4, 5, 6, 7A
	Under 1" SDL	NO	0.04	1.48	0.26	0.29	24	0.55	4, 5, 6, 7A	4, 5, 6, 7A
	1" SDL And Over	NO	0.04	1.48	0.26	0.27	23	0.49	4, 5, 6, 7A	4, 5, 6, 7A
	Under 1" Grille	NO	0.04	1.48	0.26	0.29	24	0.55	4, 5, 6, 7A	4, 5, 6, 7A
	1" Grille And Over	NO	0.04	1.48	0.26	0.27	23	0.49	4, 5, 6, 7A	4, 5, 6, 7A
<b>HS4V</b>										
	None	YES	0.04	1.19	0.21	0.32	32	0.60	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	Under 1" SDL	YES	0.04	1.19	0.21	0.29	31	0.54	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	1" SDL And Over	YES	0.04	1.19	0.21	0.26	29	0.48	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	Under 1" Grille	YES	0.04	1.19	0.21	0.29	31	0.54	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	1" Grille And Over	YES	0.04	1.19	0.21	0.26	29	0.48	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
<b>HS2</b>										
	None	YES	0.04	1.14	0.20	0.54	46	0.64	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	Under 1" SDL	YES	0.04	1.14	0.20	0.49	43	0.57	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	1" SDL And Over	YES	0.04	1.14	0.20	0.44	40	0.51	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	Under 1" Grille	YES	0.04	1.14	0.20	0.49	43	0.57	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	1" Grille And Over	YES	0.04	1.14	0.20	0.44	40	0.51	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8



**Legend:**

ANSI/NFRC 100 for determining U-factor

ANSI/NFRC 200 for determining SHGC and VT

# 9700 Summit – Thermal Ratings & Compliance

## Picture - Continued

GLAZING	GRILLES	2020 ENERGY STAR COMPLIANCE	AIR LEAKAGE (Metric)	U-VALUE (Metric)	U-VALUE (Imperial)	SHGC	ENERGY RATING	VT	9.36 CODE ZONES (AB, SK, MB)	9.36 CODE ZONES (BC)
HS3										
	None	YES	0.04	0.85	0.15	0.49	50	0.61	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	Under 1" SDL	YES	0.04	0.85	0.15	0.45	47	0.55	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	1" SDL And Over	YES	0.04	0.85	0.15	0.40	44	0.49	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	Under 1" Grille	YES	0.04	0.85	0.15	0.45	47	0.55	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	1" Grille And Over	YES	0.04	0.85	0.15	0.40	44	0.49	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
HS5										
	None	YES	0.04	1.14	0.20	0.30	32	0.56	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	Under 1" SDL	YES	0.04	1.14	0.20	0.27	31	0.50	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	1" SDL And Over	YES	0.04	1.14	0.20	0.25	29	0.45	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	Under 1" Grille	YES	0.04	1.14	0.20	0.27	31	0.50	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	1" Grille And Over	YES	0.04	1.14	0.20	0.25	29	0.45	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
HS6										
	None	YES	0.04	0.85	0.15	0.27	37	0.48	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	Under 1" SDL	YES	0.04	0.85	0.15	0.25	36	0.43	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	1" SDL And Over	YES	0.04	0.85	0.15	0.23	35	0.38	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	Under 1" Grille	YES	0.04	0.85	0.15	0.25	36	0.43	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	1" Grille And Over	YES	0.04	0.85	0.15	0.23	35	0.38	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
Triple										
	None	YES	0.04	1.76	0.31	0.62	37	0.66	4, 5, 6, 7A, 7B, 8	4, 5
	Under 1" SDL	YES	0.04	1.76	0.31	0.56	34	0.59	4, 5, 6, 7A, 7B, 8	4, 5
	1" SDL And Over	NO	0.04	1.76	0.31	0.50	30	0.53	4, 5, 6, 7A, 7B, 8	4, 5
	Under 1" Grille	YES	0.04	1.76	0.31	0.56	34	0.59	4, 5, 6, 7A, 7B, 8	4, 5
	1" Grille And Over	NO	0.04	1.76	0.31	0.50	30	0.53	4, 5, 6, 7A, 7B, 8	4, 5


**Legend:**

ANSI/NFRC 100 for determining U-factor

ANSI/NFRC 200 for determining SHGC and VT

# 9700 Summit – Thermal Ratings & Compliance

## Slider

GLAZING	GRILLES	2020 ENERGY STAR COMPLIANCE	AIR LEAKAGE (Metric)	U-VALUE (Metric)	U-VALUE (Imperial)	SHGC	ENERGY RATING	VT	9.36 CODE ZONES (AB, SK, MB)	9.36 CODE ZONES (BC)
HS1										
	None	YES	0.04	1.65	0.29	0.54	34	0.62	4, 5, 6, 7A, 7B, 8	4, 5
	Under 1" SDL	NO	0.04	1.65	0.29	0.48	31	0.55	4, 5, 6, 7A, 7B, 8	4, 5
	1" SDL And Over	NO	0.04	1.65	0.29	0.43	28	0.49	4, 5, 6, 7A	4, 5
	Under 1" Grille	NO	0.04	1.65	0.29	0.48	31	0.55	4, 5, 6, 7A, 7B, 8	4, 5
	1" Grille And Over	NO	0.04	1.65	0.29	0.43	28	0.49	4, 5, 6, 7A	4, 5
HS1V										
	None	YES	0.04	1.42	0.25	0.49	37	0.60	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A
	Under 1" SDL	YES	0.04	1.42	0.25	0.44	34	0.54	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A
	1" SDL And Over	NO	0.04	1.42	0.25	0.39	31	0.47	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A
	Under 1" Grille	YES	0.04	1.42	0.25	0.44	34	0.54	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A
	1" Grille And Over	NO	0.04	1.42	0.25	0.39	31	0.47	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A
HS4										
	None	NO	0.04	1.59	0.28	0.29	21	0.54	4, 5, 6, 7A	4, 5, 6, 7A
	Under 1" SDL	NO	0.04	1.59	0.28	0.26	20	0.49	4, 5, 6, 7A	4, 5, 6, 7A
	1" SDL And Over	NO	0.04	1.59	0.28	0.23	18	0.43	4, 5, 6, 7A	4, 5, 6, 7A
	Under 1" Grille	NO	0.04	1.59	0.28	0.26	20	0.49	4, 5, 6, 7A	4, 5, 6, 7A
	1" Grille And Over	NO	0.04	1.59	0.28	0.23	18	0.43	4, 5, 6, 7A	4, 5, 6, 7A
HS4V										
	None	NO	0.04	1.36	0.24	0.28	26	0.53	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	Under 1" SDL	NO	0.04	1.36	0.24	0.26	25	0.47	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	1" SDL And Over	NO	0.04	1.36	0.24	0.23	23	0.42	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	Under 1" Grille	NO	0.04	1.36	0.24	0.26	25	0.47	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	1" Grille And Over	NO	0.04	1.36	0.24	0.23	23	0.42	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
HS2										
	None	YES	0.04	1.31	0.23	0.48	38	0.56	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	Under 1" SDL	YES	0.04	1.31	0.23	0.43	36	0.50	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	1" SDL And Over	NO	0.04	1.31	0.23	0.39	33	0.44	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	Under 1" Grille	YES	0.04	1.31	0.23	0.43	36	0.50	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	1" Grille And Over	NO	0.04	1.31	0.23	0.39	33	0.44	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8



**Legend:**

ANSI/NFRC 100 for determining U-factor

ANSI/NFRC 200 for determining SHGC and VT

# 9700 Summit – Thermal Ratings & Compliance

## Slider - Continued

GLAZING	GRILLES	2020 ENERGY STAR COMPLIANCE	AIR LEAKAGE (Metric)	U-VALUE (Metric)	U-VALUE (Imperial)	SHGC	ENERGY RATING	VT	9.36 CODE ZONES (AB, SK, MB)	9.36 CODE ZONES (BC)
HS3										
	None	YES	0.04	1.08	0.19	0.44	41	0.54	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	Under 1" SDL	YES	0.04	1.08	0.19	0.39	38	0.48	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	1" SDL And Over	YES	0.04	1.08	0.19	0.35	36	0.43	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	Under 1" Grille	YES	0.04	1.08	0.19	0.39	38	0.48	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	1" Grille And Over	YES	0.04	1.08	0.19	0.35	36	0.43	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
HS5										
	None	NO	0.04	1.31	0.23	0.27	26	0.50	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	Under 1" SDL	NO	0.04	1.31	0.23	0.24	25	0.44	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	1" SDL And Over	NO	0.04	1.31	0.23	0.22	23	0.39	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	Under 1" Grille	NO	0.04	1.31	0.23	0.24	25	0.44	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	1" Grille And Over	NO	0.04	1.31	0.23	0.22	23	0.39	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
HS6										
	None	YES	0.04	1.02	0.18	0.24	31	0.42	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	Under 1" SDL	YES	0.04	1.02	0.18	0.22	30	0.38	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	1" SDL And Over	YES	0.04	1.02	0.18	0.20	29	0.33	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	Under 1" Grille	YES	0.04	1.02	0.18	0.22	30	0.38	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
	1" Grille And Over	YES	0.04	1.02	0.18	0.20	29	0.33	4, 5, 6, 7A, 7B, 8	4, 5, 6, 7A, 7B, 8
Triple										
	None	NO	0.04	1.82	0.32	0.55	31	0.59	4, 5, 6, 7A, 7B, 8	-
	Under 1" SDL	NO	0.04	1.82	0.32	0.49	28	0.52	4, 5, 6, 7A	-
	1" SDL And Over	NO	0.04	1.82	0.32	0.44	25	0.46	4, 5, 6, 7A	-
	Under 1" Grille	NO	0.04	1.82	0.32	0.49	28	0.52	4, 5, 6, 7A	-
	1" Grille And Over	NO	0.04	1.82	0.32	0.44	25	0.46	4, 5, 6, 7A	-


**Legend:**

ANSI/NFRC 100 for determining U-factor

ANSI/NFRC 200 for determining SHGC and VT